City Line Dept

GUILFORD COUNTY DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

301 N. Eugene Street P.O. Box 3508

Greensboro: NC 27401 Phone: (919) 373-3771

UNDERGROUND TANK REMOVED OR ABANDONED IN PLACE

TO BE TYPED OR PRINTED-Owner's Name: Thomas Onwited 8 x 16683, GREKISBURG, N.C. 27416 - 08 08 Property Address: ___ (if different from above) Date removal or abandonment: Contractor's Name: _ Telephone: _ Final disposition of removed product: EWALL THINK Evidence of leakage? Yes No Zo Date noticed: Soil samples taken? Yes V No ___ If yes, results must be forwarded to Health Department Material used to fill tank: Tank size:_____gallons ターろいっぴ 1-550 SAFEWAY TANK DISPOSA Final disposition of tank, if removed: Final disposition of contaminated soil, if removed: ____ Remarks: Excless dirt was used for land scaping on site Signature White-Health Dept. Yellow-Fire Dept. Pink-Owner

Date

GREENSBORO FIRE DEPARTMENT FIRE PREVENTION BUREAU 1514 N. Church Street Greensboro, N. C. 27405 373-2177

To: Chief of Fire Prevention Bureau, City of Greensboro, N. C.

Application is hereby made by the undersigned for a permit to

Remove Underground Tank(s) (5)

Abandon Underground Tank(s) in or on the premises know as:

Melvin's Tervice, 12.05 Ashabara II.

(Business Name and Address)

1. Tank Contractor: TAACO, Inc.

Contractor's Address: 52/2 W. Markot II.

Number, size and product type of tanks: Two - 2000 ful. gasobine,

Two - 3000ful gasdine, One - 550 ful. Tiesek Fuel

- Permit shall be obtained for the removal or abandonment of underground tanks in place prior to beginning work.
- Tank contractor shall be licensed as a General Contractor by City Tax Collections.
- 4. Removal and abandonment of underground tanks in place shall comply with all applicable codes and regulations including the Fire Code, Guilford County Health Regulations, N.F.P.A. 327, and A.P.I. Publication 1604.
- 5. Notify Fire Prevention at 373-2177 and Guilford Environmental at 373-3771 prior to removal or abandonment in place.
- 6. For tank removal or abandonment in place all liquids shall be removed from the tank(s) and properly disposed of in accordance with applicable laws.
- 7. Prior to removal or abandonment in place tanks shall be purged or rendered inert. Purging or inerting shall be conducted in accordance with applicable standards and regulations. For purging the vapors shall not exceed 20% of the lower flammable limit. For inerting the oxygen content shall be below 8%. Tank contractor shall have the proper operating meters, combustible gas indicator and/or oxygen meter at each job site.

Note: Perchloroethylene will not be allowed as an inerting agent.

2125

CITY OF GREENSBORO PLANNING & COMMUNITY DEVELOPMENT

RECEIPT

Received From: LINE.	Date:	-7-17-07
Received By: (6/11/5 Chief		
	Account No.	<u>Amount</u>
CODE ENFORCEMENT		
Permits: Type:	01-2003-001.632	\$ <u>72.00</u>
Permit No.:		
Abandoned Motor Vehicles - Code Enforcement	01-2003-001.639	
- Police	01-3506-001.645	
Miscellaneous	01-2003-001.739	
PLANNING SERVICES		
Maps (8.8 - 199 - 13 - 199 - 13 - 199 - 193 - 199 - 193 - 199 - 193 - 199 - 19	69 (65%) \$ 01-0000-000.739 9	
Rezoning Fees	01-0000-000.739	
Miscellaneous	01-0000-000.723	
COMMUNITY DEVELOPMENT	•	•
Publications or	09-0000-000,723	
Plan - Adm - 70 - 2615	TOTAL	s <u>72.00</u>
White: Original Canary: Customer Pink: Department	Cashier:	which is me.